

Certification Exams ACLS

American Academy of Cosmetic Dentistry

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/acls>

Latest Version: 6.0

Question: 1

Which of the following rhythms is most commonly present in the first minute following a cardiac arrest in adults?

- A. ventricular tachycardia
- B. asystole
- C. bradycardia
- D. ventricular fibrillation

Answer: D

Question: 2

Drugs useful in the treatment of cardiogenic pulmonary edema include

- A. furosemide
- B. verapamil
- C. morphine
- D. propranolol
- E. oxygen

Answer: A, C, E

Question: 3

An 80-year-old patient presents with severe chest pain. Heart rate is 30 and blood pressure is 60/P mm Hg. The monitor shows sinus bradycardia. Which drug is indicated first?

- A. lidocaine 75 mg IV bolus
- B. isoproterenol infusion at 2-10 mcg/min
- C. atropine 0.5-1 mg IV
- D. morphine 2-5 mg IV

Answer: C

Question: 4

Intubation with an endotracheal tube:

- A. allows adjunctive ventilatory equipment to be used effectively
- B. decreases the risk of aspiration
- C. is the first priority in ventricular fibrillation
- D. if performed improperly may result in only one lung being inflated

Answer: A, B, D

Question: 5

Bag-valve-mask devices:

- A. may be used by untrained individuals
- B. with high flow and a reservoir deliver close to 100% oxygen
- C. are difficult for one person to use effectively
- D. usually provide greater tidal volume than mouth-to-mask ventilation

Answer: B, C

Thank You for Trying Our Product
Special 16 USD Discount Coupon: NSZUBG3X

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>