

# IBM C1000-184


IBM Db2 13 for z/OS Database Administrator - Associate

For More Information – Visit link below:

<https://www.examsempire.com/>

**Product Version**

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/c1000-184>

# Latest Version: 6.0

## Question: 1

When defining a table with a large numeric column (i.e. 123456789012345678), which is also the primary key, what data type would be the best option?

- A. DECFLOAT(34)
- B. INTEGER
- C. DECIMAL(31,18)
- D. BIGINT

**Answer: D**

## Question: 2

A DSN command can be utilized to perform which operation?

- A. Start Db2.
- B. Bind a query
- C. Submit a utility job.
- D. Alter a buffer pool.

**Answer: B**

## Question: 3

Which coupling facility structure is responsible for communicating Db2 status information to each member of the data sharing group?

- A. GBP
- B. Lock
- C. SCA
- D. WLM

**Answer: C**

## Question: 4

A performance analyst wants to identify inefficient SQL statements causing excessive table scans within a production subsystem. Which Db2 feature should be reviewed first?

- A. EXPLAIN output
- B. Buffer pool startup parameters
- C. Archive logging configuration
- D. Utility job schedules

**Answer: A**

### Question: 5

Which two lock combinations are compatible?

- A. Share lock and exclusive lock
- B. Share lock and share lock
- C. Exclusive lock and exclusive lock
- D. Update lock and update lock
- E. Share lock and update lock

**Answer: B,E**

### Question: 6

What is the purpose of a Db2 Monitor trace?

- A. It can be used to enable attached monitor programs to access Db2 trace data through calls to the instrumentation facility interface.
- B. It can be used to enable the ACCUMACC subsystem parameter for accounting data aggregation.
- C. It can be used to ensure that data access is allowed only for authorized purposes.
- D. It is used to automatically start and stop Db2.

**Answer: A**

### Question: 7

When inserting a new row into a child table with an enforced relationship to a parent table, what happens when the foreign key data does not match the parent key?

- A. The child row is not added and a warning is returned.
- B. The child row is added to the parent table.
- C. The child row is added but not yet available for readers.

D. The child row is not added and an error is returned.

**Answer: D**

### Question: 8

What is the major difference between a correlated and non-correlated subquery execution within a WHERE clause of a SELECT statement?

- A. Results from a correlated subquery in a WHERE clause can be returned in the result of the outer SELECT.
- B. A non-correlated subquery in a WHERE clause executes only once, while a correlated subquery can execute many times.
- C. Results from a non-correlated subquery in a WHERE clause can be returned in the result of the outer SELECT.
- D. A correlated subquery in a WHERE clause executes only once, while a non-correlated subquery can execute many times.

**Answer: B**

### Question: 9

Which of the following is true regarding the use of RPN (Relative Page Numbering) on a table space?

- A. It is implemented by specifying PAGENUM ABSOLUTE on the CREATE TABLESPACE statement.
- B. Different partitions of the same table must have the same size limits.
- C. DSSIZE can be increased for a partition with an ALTER, without requiring a REORG.
- D. RPN is valid for all partitioned table space types.

**Answer: C**

### Question: 10

Where is the information about system level backups stored?

- A. BSDS
- B. Checkpoint
- C. Db2 Log
- D. SYSCOPY

**Answer: A**



**Thank You for Trying Our Product**  
**Special 16 USD Discount Coupon: NSZUBG3X**

**Email:** [support@examsempire.com](mailto:support@examsempire.com)

**Check our Customer Testimonials and ratings  
available on every product page.**

**Visit our website.**

**<https://examsempire.com/>**