

CIW

1D0-835

CIW JavaScript Specialist

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/1d0-835>

Latest Version: 6.0

Question: 1

Which of the following is not a valid variable name in JavaScript?

- A. This
- B. _that
- C. _this
- D. That

Answer: A

Question: 2

Cross-site scripting (XSS) is a type of:

- A. phishing scam.
- B. security risk associated with signed scripts.
- C. same-origin policy violation.
- D. code-injection attack.

Answer: D

Question: 3

Which statement about the prototype property is true?

- A. It is only available in DOM objects.
- B. It is available in all objects.
- C. It is only available in JavaScript predefined objects.
- D. It is only available in custom objects.

Answer: B

Question: 4

Which variable data type is a variable that has not yet had a value assigned to it?

- A. String
- B. Boolean
- C. Undefined
- D. Null

Answer: C

Question: 5

What is the purpose of the break statement in JavaScript?

- A. To flush system memory
- B. To pause a program's execution
- C. To destroy unused variables
- D. To exit a control structure

Answer: D

Question: 6

Which code is the JavaScript equivalent of clicking the browser's Back button?

- A. `history -- 1`
- B. `history.go(-1);`
- C. `history.rewind();`
- D. `history.rewind();`

Answer: B

Question: 7

In JavaScript, what term is used to describe the technique of changing variables from one data type to another?

- A. Initializing
- B. Parsing
- C. Casting
- D. Concatenating

Answer: C

Question: 8

Which JavaScript object reflects information about the browser being used to view the Web page?

- A. Document
- B. Window
- C. Location
- D. Navigator

Answer: D

Question: 9

Consider the following code:

```
for (X; Y; Z)
```

What does Y represent in this statement?

- A. The condition under which the loop will execute
- B. The loop counter variable initialization expression
- C. The highest value that the counter variable may reach
- D. The loop counter increment or decrement

Answer: A

Question: 10

Which choice demonstrates the correct syntax for declaring a variable?

- A. var lastName;
- B. var &lastname;
- C. var "lastname";
- D. var last name;

Answer: B

Thank You for Trying Our Product
Special 16 USD Discount Coupon: NSZUBG3X

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>