

HP HPE0-G05

HPE Morpheus Enterprise Software Automation Specialist

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/hpe0-g05>

Latest Version: 6.0

Question: 1

Which Morpheus CLI command provides a real-time, tail-like view of the appliance logs for troubleshooting?

- A. morpheus logs tail
- B. morpheus appliance logs
- C. morpheus dashboard logs
- D. morpheus monitor --logs

Answer: B

Question: 2

What is the scope of a variable defined within the "Global Variables" section of the Morpheus appliance settings?

- A. It is accessible across all tenants and all workflows.
- B. It is accessible only to the Master Tenant.
- C. It is accessible only within Operational Workflows.
- D. It is only accessible via the CLI/API, not in Script Templates.

Answer: A

Question: 3

When using a Workflow, you want to capture the output of a Shell script task and use it as an input for the next task in the same phase. Which variable object contains this data?

- A. task.output
- B. data.capture
- C. prevResult
- D. results

Answer: D

Question: 4

What is the purpose of the "Allow Re-Execute on Failure" setting in a Morpheus Task?

- A. It automatically retries the task 3 times.
- B. It allows an administrator to manually click "Retry" on a failed execution record in the UI.
- C. It rolls back the entire Provisioning Workflow if the task fails.
- D. It prevents the task from being executed more than once per instance.

Answer: B

Question: 5

A cloud architect needs to create a dropdown menu for users to select a "Cost Center" during provisioning. The list of cost centers is stored in an external SQL database. Which Option List Type should be used?

- A. Manual
- B. Plugin
- C. REST
- D. LDAP

Answer: C

Question: 6

When creating a "Morpheus" type Blueprint, how are the individual components (e.g., Ubuntu VM, MySQL database) added to the design?

- A. By selecting existing "Instance Types" from the Library.
- B. By writing a Terraform HCL file directly in the Blueprint UI.
- C. By uploading a Docker Compose file.
- D. By dragging and dropping "Icons" from a cloud catalog.

Answer: A

Question: 7

You are using Cypher to store a lease-based token that should expire and be deleted automatically after 24 hours. Which mount path supports the ttl (Time To Live) parameter?

- A. password/
- B. secret/

- C. vault/
- D. token/

Answer: B

Question: 8

In a Provisioning Workflow, which phase is executed after the VM is powered on and the agent has checked in, but before the instance is marked as 'Running' in the UI?

- A. Pre-Provision
- B. Provision
- C. Post-Provision
- D. Finalize

Answer: C

Question: 9

You have created an Input of type "Number." You want to ensure users can only enter a value between 1 and 10. How should this be enforced within the Input configuration?

- A. Define a Regex pattern: `^[1-9]|10$`.
- B. Use a Translation Script to check the value.
- C. Use a Request Script to intercept the submission.
- D. This must be handled by a "Policy" at the Group level, not the Input.

Answer: A

Question: 10

Which Task Type should be used if you need to run a script that interacts with the Morpheus API using the local Morpheus Python library?

- A. Shell Script
- B. Python Script (Execution Target: Local)
- C. HTTP Task
- D. Groovy Script

Answer: B

Thank You for Trying Our Product
Special 16 USD Discount Coupon: NSZUBG3X
Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>