

# UiPath

## UiPath-AAPv1

UiPath Certified Professional Agentic Automation Professional (UiAAP)

For More Information – Visit link below:

<https://www.examsempire.com/>

**Product Version**

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/uipath-aapv1>

# Latest Version: 6.0

## Question: 1

Which approach best supports root cause analysis for failed evaluations?

- A. Automatically re-run failed evaluations without any manual review
- B. Ignore evaluator feedback and rely solely on agent execution time
- C. Focus exclusively on successful runs to maintain dataset integrity
- D. Review incorrect outputs alongside evaluator assertions to pinpoint logic gaps

**Answer: D**

## Question: 2

A trajectory evaluator reports low scores despite acceptable final answers. What does this most likely reflect about the agent's reliability?

- A. The reasoning path or tool usage sequence deviates from the expected execution behavior.
- B. The final output text does not exactly match the expected string value.
- C. The evaluation set lacks enough deterministic CSV column mappings to validate the structured output.
- D. The selected evaluation model failed to load properly during the scoring process, preventing the evaluation from completing successfully.

**Answer: A**

## Question: 3

You've built a Conversational agent for customer service and want to embed it into a UiPath App as a side chat panel. What parameter should you use in the IFrame URL to optimize this layout?

- A. view=sidepanel
- B. mode=sidechat
- C. layout=rail
- D. mode=embedded

**Answer: D**

## Question: 4

How should you assess a summary that must capture intent and key facts, not exact wording?

- A. JSON similarity, because it compares structure, not unstructured narrative fidelity.
- B. Exact match, because it fails when wording differs despite faithful content coverage.
- C. LLM-as-a-Judge, because it evaluates meaning and completeness over literal token overlap.
- D. Trajectory evaluator, because it grades steps, not semantic quality of summaries.

**Answer: C**

## Question: 5

To review how retrieval volume changed over the last week for a specific index, what is the appropriate sequence?

- A. Set Interval to last week and open the Sync job history chart to count retrievals
- B. Select the index, set Interval to last week, and analyze the Queries metric for that index
- C. Select the index and open the ingested documents view to total retrievals per file
- D. Filter the table by Last sync and compare row counts for the last seven days

**Answer: B**

## Question: 6

In the context of the UiPath platform's evolution, how is agentic automation positioned relative to traditional RPA?

- A. Agentic automation is described as the next step in automation evolution, enabling software agents to handle non-routinised, complex workflows with autonomy, beyond rule-based RPA
- B. Agentic automation is simply a rebranding of existing RPA tools, retaining the same deterministic approach with structured logic and fixed rules without introducing any new automation capabilities.
- C. Agentic automation only adds content-generation features to standard RPA bots but keeps the same workflow model
- D. Agentic automation fully replaces the need for human-in-the-loop escalation by enabling agents to operate with complete autonomy and make all decisions independently across every enterprise process.

**Answer: A**

## Question: 7

What is the main advantage of using an inclusive gateway in Maestro flow design?

- A. It automatically synchronizes all branches regardless of execution.
- B. It ensures only one branch runs at a time, avoiding conflicts.
- C. It allows one or several of the branches to execute and merges them safely.
- D. It enforces simultaneous task execution for faster processing.

**Answer: C**

### Question: 8

During process discovery, stakeholders identify several human "touch" steps that delay completion time. When mapping these to agent tasks, what should the developer prioritize?

- A. Replace all identified human touchpoints with full agent autonomy to eliminate delays regardless of task complexity or risk.
- B. Evaluate which touchpoints are based on contextual reasoning, then design agent actions and tool integration.
- C. Preserve all human touch steps to avoid introducing risk into the process.
- D. Convert human touch steps into additional context instructions without defining actionable agent behaviors.

**Answer: B**

### Question: 9

When designing datasets for edge cases for an agent, what should you prioritize?

- A. Inputs that challenge the agent's reasoning or tool usage beyond normal patterns
- B. Inputs that are similar to the most frequent successful cases
- C. Scenarios that only involve single-step workflows
- D. Cases that exclude any evaluator-based assertions

**Answer: A**

### Question: 10

If a user input field is optional, how does the Properties Panel in UiPath Maestro handle its value in the returned structured data?

- A. The field value is ignored and not included in the structured data

- B. The process automatically fills it with a placeholder text regardless of user action
- C. The field must always be completed to generate any structured output
- D. The field can remain empty and returns a null or default value in the structured data

**Answer: D**

**Thank You for Trying Our Product**  
**Special 16 USD Discount Coupon: NSZUBG3X**

**Email:** [support@examsempire.com](mailto:support@examsempire.com)

**Check our Customer Testimonials and ratings  
available on every product page.**

**Visit our website.**

**<https://examsempire.com/>**