

Dell EMC D-PDD-OE-01

Dell Technologies PowerProtect Data Domain Operate V2

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/d-pdd-oe-01>

Latest Version: 6.0

Question: 1

What is a benefit of the PowerProtect DD Secure Multi-Tenancy feature?

- A. Enables deployment of DDVE systems in a public cloud
- B. Provides a single cloud model for protection storage
- C. Allows different cloud models for protection storage
- D. Can be managed with DDSM

Answer: C

Question: 2

Which technology is used on a PowerProtect DD appliance to protect data?

- A. RAID 1
- B. RAID 5
- C. RAID 10
- D. RAID 6

Answer: D

Question: 3

A NetBackup administrator is using PowerProtect DD as a backup device with VTL. Which component will perform the backup and restore operations to PowerProtect DD?

- A. Backup Client
- B. Storage Node
- C. Primary Storage
- D. Master Server

Answer: B

Question: 4

Which protocol is used by Avamar to back up to PowerProtect DD?

- A. DD Boost
- B. VTL
- C. CIFS
- D. NFS

Answer: A

Question: 5

A NetWorker administrator wants to create the DD Boost devices following PowerProtect DD best practices. What is the recommended device resource max sessions?

- A. 30
- B. 32
- C. 60
- D. 62

Answer: C

Question: 6

Which port must be open for DD Boost to communicate with the PowerProtect DD appliance for clone-controlled replication?

- A. 2051
- B. 111
- C. 2049
- D. 80

Answer: A

Question: 7

How many cloud units are supported on a PowerProtect DD appliance when using Dell EMC Cloud Tier, and what is the maximum capacity for each unit?

- A. Two units, each up to half the active tier capacity
- B. Four units, each up to half the active tier capacity
- C. Two units, each less than or equal to the active tier capacity
- D. Four units, each less than or equal to the active tier capacity

Answer: C

Question: 8

Which of the following enables service providers to deploy DDVE systems in a hybrid or public cloud?

- A. SMT
- B. DD HA
- C. DD Boost
- D. SNMP

Answer: A

Question: 9

A backup administrator is tasked with monitoring changes in space availability and compression in relation to the cleaning process on the PowerProtect DD system. Which chart in DDSM is used specifically to identify these trends?

- A. Pre-Comp Used
- B. Consumption
- C. Space Usage
- D. Daily Written

Answer: D

Question: 10

What is a characteristic of Dell EMC Cloud Tier with Retention Lock?

- A. FTPS is used for data transfer between the PowerProtect DD and the cloud tier
- B. Cloud unit can be deleted when the PowerProtect DD is compliant
- C. NFS is used for data transfer between the PowerProtect DD and the cloud tier
- D. Files that are locked on the active tier can be moved to the cloud tier

Answer: B

Thank You for Trying Our Product
Special 16 USD Discount Coupon: NSZUBG3X

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>