

Question: 1

Given a non-partitioned table space TS1 is built with LOCKSIZE ROW, LOCKMAX 1000 and SEGSIZE 64. If a unit of work acquires 1001 locks against table space TS1, the lock will be escalated to which of the following levels?

- A. PAGE
- B. TABLE
- C. PARTITION
- D. TABLESPACE

Answer: C

Question: 2

Which of the following are contained in the PLAN_TABLE? (Choose two.)

- A. RUNSTATS recommendations
- B. Access to LOB values, which are stored separately from the base table
- C. Access to parent or dependent tables needed to enforce referential constraints
- D. Whether an index access or table space scan is used for each access to a table
- E. The join methods and types that are used, and the order in which DB2 joins the tables

Answer: D,E

Question: 3

Which privilege will user smith be able to grant to another user on table emp when the following SQL is executed?

GRANT ALL ON TABLE emp TO smith WITH GRANT OPTION;

- A. BIND
- B. REORG
- C. TRIGGER
- D. EXECUTE

Answer: D

Question: 4

Which of the following utilities CANNOT be executed from the DB2 utilities panel in DB2I?

- A. COPY
- B. REORG
- C. STOSPACE
- D. BACKUP SYSTEM

Answer: D

Question: 5

Which of the following locking scenarios requires the least amount of real storage in the IRLM address space?

- A. 10 row locks
- B. 200 page locks
- C. A single table space lock
- D. 6 partition locks (given a table space with a total of 10 partitions)

Answer: C

Question: 6

Which of the following is NOT TRUE?

- A. An index can be created on XML columns
- B. Length must be specified for an XML column
- C. XML columns can be added to existing tables
- D. Triggers can be created on tables with XML columns

Answer: D

Question: 7

In a unique referential constraint, which type of key does a foreign key reference?

- A. Child key
- B. Collation key
- C. Parent key
- D. Secondary key

Answer: C

Question: 8

The DB2 subsystem DSN has been correctly configured to access a remote DB2 location MYREMOTE. Which of the following processes can be used on subsystem DSN to access MYUSER.EMP table at MYREMOTE location?

- A. SELECT * FROM MYUSER.EMP;
- B. CONNECT TO MYREMOTE;SELECT * FROM MYUSER.EMP;
- C. SELECT * FROM MYUSER.MYREMOTE.EMP;
- D. CREATE ALIAS EMP_ALIAS FOR LOCATION.MYREMOTE.MYUSER.EMP;SELECT * FROM MYUSER.EMP_ALIAS;

Answer: B

Question: 9

Which of the following elements is affected by a ROLLBACK statement?

- A. LOB table spaces
- B. Changes in cursor positioning
- C. Acquisition and release of locks
- D. Caching of rolled back statements

Answer: A

Question: 10

Which statement is TRUE regarding ROLLBACK processing?

- A. It only reads active logs
- B. It always needs archive logs
- C. It can never be processed just from memory
- D. It uses output buffers, active and archive logs

Answer: D

Question: 11

Which of the following SQL constructs does NOT provide information about the success or failure of the SQL statement that was just executed?

- A. SQLCA
- B. SQLDA
- C. SQLCODE
- D. SQLSTATE

Answer: B

Question: 12

Your current authorization ID is DB

A. Only one of your secondary authorization IDs, DB2, has the privilege to create an index DB2.AAA on a table. The appropriate SQL statement starts with "CREATE INDEX AAA ON...". Which of the following statements must precede the CREATE statement so that you can create the index?

- A. SET CURRENT SQLID = 'DB2';
- B. SET CURRENT RULES = 'DB2';
- C. No preceding statement is needed
- D. SET CURRENT SCHEMA = 'DB2';

Answer: A

Question: 13

The metadata for which of the following objects is NOT stored in the DB2 catalog table SYSIBM.SYSTABLES?

- A. A view
- B. A temporal table
- C. A created global temporary table
- D. A declared global temporary table

Answer: B