

# HP HPE0-S58

## Implementing HPE Composable Infrastructure Solutions

For More Information – Visit link below:

<https://www.examsempire.com/>

**Product Version**

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/hpe0-s58>

## Question: 1

During an initial setup of a Synergy environment, an integrator needs to enable or disable authorized Service access.

What will be the outcome when the integrator disables this service?

- A. Authenticated administrators will be unable to make changes to the system
- B. Authorized users will be unable to generate a support dump
- C. Authenticated administrators will be unable to access the system
- D. Authorized support will be unable to diagnose the system

**Answer: D**

Reference:

[https://support.hpe.com/hpsc/doc/public/display?docId=emr\\_na-c05098314](https://support.hpe.com/hpsc/doc/public/display?docId=emr_na-c05098314) (62)

## Question: 2

A customer has the following configuration:

Frame 1

- Bay 1 – HPE Synergy 12Gb SAS Connection Module
- Bay 2
- Bay 3 – HPE Virtual Connect SE 40 GB F8 Module
- Bay 4 – HPE Synergy 12GB SAS Connection Module
- Bay 5
- Bay 6 – HPE Synergy 10 Gb Interconnect Link Module

Frame 2

- Bay 1 – HPE Synergy 12Gb SAS Connection Module
- Bay 2
- Bay 3 – HPE Synergy 10Gb Interconnect Link Module
- Bay 4 – HPE Synergy 12Gb SAS Connection Module
- Bay 5
- Bay 6 – HPE Virtual Connect SE 40Gb F8 Module

How many more frames can the customer add to their Synergy composable fabric? (Note: Enter your answer in the answer field below.)

A. Frame 1 – Bay 2 – HPE Virtual Connect SE 100Gb F32 Module for Synergy (867796-B21)

Frame 1 – Bay 5 – HPE Virtual Connect SE 16Gb Fibre Channel Module for Synergy (779227-B21)

Frame 2 - Bay 2 – Brocade 16Gb/24 Power Pack+ Fibre Channel SAN Switch Module for HPE Synergy (K2Q86A)

Frame 2 – Bay 5 – HPE Synergy 4820C 10/20/25Gb Converged Network Adapter (876449-B21)

B. Frame 1 – Bay 2 – HPE Virtual Connect SE 100Gb F32 Module for Synergy

(867796-B21)

Frame 1 – Bay 5 – HPE Virtual Connect SE 16Gb Fibre Channel Module for Synergy (779227-B21)

Frame 2 – Bay 5 – HPE Synergy 4820C 10/20/25Gb Converged Network Adapter (876449-B21)

**Answer: A**

### Question: 3

In a 3-frame HPE Synergy environment, how should an integrator place the image Streamer modules to allow for redundancy to all of the management connections?

- A. one Image Streamer module in frame 2, and a second Image Streamer Module in frame 3 (2 total)
- B. two Image Streamer modules in frame 2, and two Image Streamer modules in frame 3 (4 total)
- C. one Image Streamer module in each Synergy frame (3 total)
- D. two Image Streamer modules in frame 1 (2 total)

**Answer: B**

Reference:

[https://www.karma-group.ru/upload/iblock/2be/synergy\\_image\\_streamer.pdf](https://www.karma-group.ru/upload/iblock/2be/synergy_image_streamer.pdf) (page 7)

### Question: 4

**HOTSPOT**

An integrator has installed a new Synergy frame into a rack with two existing Synergy frames in a customer's environment.

Click where the integrator should verify that the cabling for the management ring was completed correctly.

0000A66101

**General >**  
State  
Model  
Logical enclosure

**Utilization >**  
Power  
Temperature

**Hardware >**  
Location  
Powered by  
Serial number

**View**  
**Overview**  
General  
Hardware  
Firmware  
Devices  
Interconnects  
Power Supplies  
Fans  
Composable Infrastructure Appliances  
Link Modules  
Power  
Utilization  
Interconnect Link Topology  
Frame Link Topology  
Remote Support

**Actions** ▾

**Overview**  
Rear View  
Interconnects  
Fans  
Link Modules  
Power Supplies

**Answer:**

0000A66101

**General >**  
State  
Model  
Logical enclosure

**Utilization >**  
Power  
Temperature

**Hardware >**  
Location  
Powered by  
Serial number

**View**  
**Overview**  
General  
**Hardware**  
Firmware  
Devices  
Interconnects  
Power Supplies  
Fans  
Composable Infrastructure Appliances  
Link Modules  
Power  
Utilization  
Interconnect Link Topology  
Frame Link Topology  
Remote Support

**Actions** ▾

**Overview**  
Rear View  
Interconnects  
Fans  
Link Modules  
Power Supplies

Reference:  
[https://support.hpe.com/hpsc/doc/public/display?docId=a00048164en\\_us](https://support.hpe.com/hpsc/doc/public/display?docId=a00048164en_us)

## Question: 5

Refer to the exhibit.

## Interconnect Bay



## Rear of HPE Synergy Frame

How should an integrator pair interconnect bays to set up redundant fabrics in an HPE Synergy 12000 Frame?

- A. Interconnect bays 1 and 2; bays 3 and 4; bays 5 and 6.
- B. Interconnect bays 1 and 6; bays 2 and 5; bays 3 and 4.
- C. Interconnect bays 1 and 4; bays 2 and 5; bays 3 and 6.
- D. Interconnect bays 1 and 3; bays 2 and 4; bays 5 and 6.

**Answer: C**

Reference:

<https://h20195.www2.hpe.com/v2/GetPDF.aspx/c04815113.pdf>

**Thank You for Trying Our Product**

**Special 16 USD Discount Coupon: NSZUBG3X**

**Email:** [support@examsempire.com](mailto:support@examsempire.com)

**Check our Customer Testimonials and ratings  
available on every product page.**

**Visit our website.**

**<https://examsempire.com/>**