

NetApp NS0-302

NetApp Certified Hybrid Cloud Administrator

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

- 1. Up to Date products, reliable and verified.**
- 2. Questions and Answers in PDF Format.**



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/ns0-302>

Latest Version: 7.0

Question: 1



You have a NetApp HCI Cluster and a Cloud Volumes ONTAP instance In Azure. You are asked to back up your HCI Cluster to the cloud with the ability to failover and fallback LUNs. In this scenario, which NetApp technology will satisfy this requirement?


- A. NetApp SnapMirror
- B. NetApp Cloud Sync
- C. NetApp SnapCenter
- D. NetApp Data Availability Services (NDAS)

Answer: A

Question: 2

Click the Exhibit button.

 **Visual View**  **Tabular View**







Engineering
Cloud Volumes ONTAP | AWS

AWS Account: 123456789011

Cluster Management IP: 10.20.1.681

Serial Number: serial-Engineering-01

 **Normal Write Speed** 

 **New version available** 

You have a Cloud Volumes ONTAP HA pair that is provisioned in multiple availability zones. All components of the ONTAP cluster are eligible for update. In this scenario, which two actions are performed during the upgrade when you use the default update options? (Choose two.)

- A. The HA pairs serve data during the upgrade process.
- B. The HA mediator is updated.
- C. The SnapMirror transfers continue during the upgrade process.
- D. The software image is pushed using HTTP

Answer: AB

Question: 3

A customer has configured a replication policy of a mirror-vault type to replicate data between a volume in their ONTAP cluster and Cloud Volumes ONTAP instance. They have configured the relationship between the source and the destination volumes and also set up a replication schedule. However, the replication fails.

In this scenario, what caused this problem?

- A. Snapshot copies cannot be used for a SnapVault replication.
- B. A custom schedule is not supported.
- C. The time difference between the ONTAP cluster and the Cloud Volumes ONTAP Instance is more than five minutes.
- D. The labels for the source volume Snapshot copies do not match the label in the SnapVault policy.

Answer: D

Question: 4

As the administrator of NetApp Cloud Insights, you want to set up an alert on your on-premises NetApp ONTAP system when a volume reaches 70% full.

In this situation, which two actions are required to accomplish this task? (Choose two.)

- A. Create an annotation for volume capacity.
- B. Monitor the action field in Auditing Events.
- C. Set up an alert.
- D. Create a Performance Policy.

Answer: AC

Question: 5

You deploy a pay-as-you-go instance of Cloud Volumes ONTAP. You have an Issue and try to raise a support case with NetApp, but your instance cannot be found.

In this scenario, what caused this problem?

- A. Your instance naming convention does not meet standards.
- B. Your instance has not been linked to your NetApp Support account.
- C. Your instance does not have AutoSupport enabled.
- D. Your instance is tagged to an unsupported availability zone.

Answer: C

Thank You for Trying Our Product

Special 16 USD Discount Coupon: NSZUBG3X

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>