

Fortinet

FCSS_SDW_AR-7.4

Fortinet FCSS - SD-WAN 7.4 Architect

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/fcss-sdw-ar-7-4>

Latest Version: 6.0

Question: 1

Which two statements about SD-WAN zones are true?

(Choose two.)

Response:

- A. You are allowed to create static routes that reference an SD-WAN zone.
- B. After you add an interface to SD-WAN as member, you must use zones to reference the member in firewall policies.
- C. You must configure the SD-WAN zone with a minimum of two members.
- D. You can configure only one SD-WAN zone per VDOM.

Answer: A,B

Question: 2

When is an SD-WAN member considered to be in the dead state?

Response:

- A. When the SD-WAN member reaches the failure threshold
- B. When both servers used for health checks are reachable by an interface member
- C. When the SD-WAN member has an active route in a routing table
- D. When the SD-WAN member meets the SLA target requirement

Answer: B

Question: 3

You want to configure ADVPN without route reflection on your SD-WAN topology. Which two statements apply to this scenario?

(Choose two.)

Response:

- A. ADVPN without route reflection is compatible with BGP on loopback.
- B. ADVPN without route reflection is also called ADVPN 2.0.
- C. ADVPN without route reflection allows hub-side steering by route tag.
- D. ADVPN without route reflection is compatible with static routing on the overlay.

Answer: B,D

Question: 4

Which two interfaces can be added to SD-WAN as members?

(Choose two.)

Response:

- A. IPsec interface
- B. VLAN
- C. Zone
- D. Virtual wire pair

Answer: A,B

Question: 5

Which statement is correct about the SD-WAN and ADVPN?

Response:

- A. Spoke supports dynamic VPN as a static interface.
- B. Dynamic VPN is not supported as an SD-WAN interface.
- C. ADVPN interface can be a member of SD-WAN interface.
- D. Hub FortiGate is limited to using ADVPN as an SD-WAN member interface.

Answer: C

Question: 6

Which FortiManager feature allows for the deployment of configuration changes to multiple SD-WAN devices simultaneously?

Response:

- A. Device Manager
- B. Policy Manager
- C. Configuration Manager
- D. Audit Manager

Answer: C

Question: 7

What is the purpose of using FortiManager for SD-WAN deployment management?

Response:

- A. To configure network connectivity between sites
- B. To centralize configuration and management
- C. To configure security policies
- D. To ensure efficient use of available bandwidth

Answer: B

Question: 8

Which command can be used to troubleshoot SD-WAN routing issues?

Response:

- A. traceroute
- B. ping
- C. netstat
- D. route

Answer: A

Question: 9

Which two features are supported by IKEv2 and not by IKEv1?
(Choose two.)

Response:

- A. Asymmetric authentication
- B. IKE mode configuration
- C. IKE aggressive mode
- D. Network overlay ID

Answer: A,D

Question: 10

Which three parameters are available to configure SD-WAN rules?
(Choose three.)

Response:

- A. Application signatures
- B. Incoming interface
- C. Internet service database (ISDB) address object
- D. Source and destination IP address
- E. Type of physical link connection

Answer: A,C,D

Thank You for Trying Our Product
Special 16 USD Discount Coupon: NSZUBG3X

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>