

IBM

S1000-008

IBM PowerHA SystemMirror V7.2.5 AIX Administrator Specialty

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

- 1. Up to Date products, reliable and verified.**
- 2. Questions and Answers in PDF Format.**



<https://examsempire.com/>

Latest Version: 6.0

Question: 1

How does PowerHA integrate with the AIX Error Notification Facility?

Response:

- A. By ignoring all AIX error notifications to prioritize cluster stability
- B. By using AIX error notifications to trigger PowerHA events
- C. By preventing any AIX errors from being logged
- D. By automatically correcting all AIX errors without logging them

Answer: B

Question: 2

When using multiple IP aliases on the same public network interface, what is supported by AIX, but not by PowerHA?

Response:

- A. They can have different subnets.
- B. They can have different VLAN tags.
- C. They can have different MTU speeds.
- D. They can originate from different VIO servers.

Answer: A

Question: 3

During the architectural planning of a PowerHA SystemMirror solution, what should be addressed to eliminate single points of failure and ensure robust disaster recovery?

(Choose Three)

Response:

- A. Network interface redundancy
- B. Automated failback capabilities
- C. Cluster-aware application design
- D. Single user administration
- E. Diverse routing paths

Answer: A,B,E

Question: 4

Application controllers and monitors in PowerHA can be configured to start applications in which modes?

Response:

- A. Online and offline only
- B. Active and passive only
- C. Foreground or background
- D. Dynamic or static

Answer: C

Question: 5

Which two features are supported for heartbeat communication in V7 clusters?

Response:

- A. TMSCSI
- B. CSPOC
- C. SWWCONN
- D. IP Multicast heartbeating
- E. IP Unicast heartbeating

Answer: D,E

Question: 6

If you want to display the line-by-line commands executed by each event script, which log would you examine?

Response:

- A. cluster.log
- B. clustermgr.debug
- C. hacmp.debug
- D. hacmp.out

Answer: D

Question: 7

Where does a Custom Event get defined into the cluster event flow?

Response:

- A. as a Pre or Post Event to a System Event
- B. in the integrated DLPAR screens
- C. added to the Application Controller
- D. as a resource in the Resource Group

Answer: A

Question: 8

Which options are available when creating a cluster in PowerHA?

Response:

- A. Standard or Stretched cluster
- B. Standard cluster only
- C. Standard, Linked, or Stretched cluster
- D. Standard or Extended Distance cluster

Answer: C

Question: 9

Which configuration file should be updated with the IP addresses that will be used for initial communication between nodes of each cluster member prior to the initial cluster synchronization?

Response:

- A. /etc/cluster/rhosts
- B. /etc/resolv.conf
- C. /etc/netshvc.conf
- D. /etc/cluster.conf

Answer: A

Question: 10

Which is the next recommended step once PowerHA SystemMirror 7.2.5 is installed?

Response:

- A. use the cluster verification tool to make sure that the installation has succeeded
- B. reboot each cluster node
- C. upgrade AIX to the latest level
- D. save your cluster configuration using the cluster snapshot utility

Answer: B

Thank You for Trying Our Product

Special 16 USD Discount Coupon: NSZUBG3X

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>