

Juniper JN0-423

Automation and DevOps - Specialist (JNCIS-DevOps)

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/jn0-423>

Latest Version: 6.0

Question: 1

Which two statements are true regarding op scripts and event scripts?
(Choose two.)

- A. Op scripts and event scripts can be executed remotely.
- B. Op scripts and event scripts can be run interactively.
- C. Op scripts and event scripts can use XML RPCs to run operational-mode commands.
- D. Op scripts and event scripts can accept arguments.

Answer: C,D

Question: 2

You make a single change to a commit script and then commit the device configuration. The commit fails because there is an error in the script. You issue the "rollback 1" command, and commit again. You receive the same error. Why did you receive this error?

- A. The script file needs to be renamed so that it is unique.
- B. The Junos configuration was previously incorrect.
- C. You need to issue a "rollback 0" command to load the last working configuration.
- D. The configuration rollback does not revert the changes you made in the script.

Answer: D

Question: 3

You created a Python script that enables the ge-0/0/2 interface on R2. This script should only be executed when the ge-0/0/2 interface goes down on R1. In this scenario, how should this script be applied on R1?

- A. The script should be applied as a commit script on R1.
- B. The script should be applied as an op script on R1.
- C. The script should be applied as an event script on R1.
- D. The script should be applied as an event script on R1.

Answer: C

Question: 4

Your company is using OpenConfig to interact with all network equipment using customized YANG data models that are not natively supported on Junos devices. In this scenario, what is required for a Junos device to successfully use this customized data model?

- A. A translation script must also be applied.
- B. An operations script must also be applied.
- C. An ephemeral DB must be established.
- D. The Junos YANG module must be disabled.

Answer: A

Question: 5

Which agent process is used to execute processes as instructed by the Salt Master?

- A. infra client
- B. Minion
- C. JSD
- D. python

Answer: B

Question: 6

What is the default Linux server file path for a JSNAPY configuration file?

- A. /home/"username"
- B. /var/jsnaps
- C. /etc/jsnapy
- D. /etc/jsnapy/junos

Answer: C

Question: 7

On a QFX Series device, which command would invoke the on-box Python interpreter?

- A. user@switch> python

- B. user@switch> start shell % python
- C. user@switch> start python
- D. user@switch> start shell % start python

Answer: B

Question: 8

What is the correct syntax to open a PyEZ connection to a Junos device?

- A. dev = Junos Device(device='host01.example.com')
- B. dev = Device(device_ip='10.1.254.11')
- C. dev = JunosDevice(device_ip='10.1.254.11')
- D. dev = Device(host='host01.example.com')

Answer: D

Question: 9

You have a situation where a default ephemeral database, a user-defined ephemeral configuration database, and a static configuration database contain conflicting information. In this scenario, what is the correct order of precedence from highest to lowest?

- A. candidate, default, user-defined
- B. user-defined, default, static
- C. default, user-defined, static
- D. static, default, user-defined

Answer: B

Question: 10

By default, on which port does jsd listen?

- A. TCP/32767
- B. TCP/179
- C. UDP/32767
- D. UDP/830

Answer: A

Thank You for Trying Our Product
Special 16 USD Discount Coupon: NSZUBG3X
Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>