

Huawei H12-724

HCIP-Security (Fast track) V1.0

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/h12-724>

Latest Version: 6.0

Question: 1

If the user's FTP operation matches the FTP filtering policy, what actions can be performed? (multiple choice)

- A. Block
- B. Declare
- C. Alarm
- D. Execution

Answer: A, C

Question: 2

Regarding firewall and IDS, which of the following statements is correct?

- A. The firewall is a bypass device, used for fine-grained detection
- B. IDS is a straight line equipment and cannot be used for in-depth inspection
- C. The firewall cannot detect malicious operations or misoperations by insiders
- D. IDS cannot be linked with firewall

Answer: C

Question: 3

Which of the following types of attacks are DDoS attacks? 21

- A. Single packet attack
- B. Flooding attack
- C. Malformed message attack
- D. Snooping scan attack

Answer: B

Question: 4

Part of the reason why the APT attack becomes difficult to defend is that it uses the vulnerabilities to

A. True
B. False

Question: 5

搭建URL 过滤配置文件

基础

名称:

描述:

引擎模式: ☒ 单机 ☐ 集群

语言:

使用URL控制: ☒ 启用

主机

主机名	域名	黑名单
主机名	www.huanqi.com	www.shopping.com
HOSTS	202.112.1.73	202.112.1.76

URL 过滤规则

☒ 正: 按照规则进行过滤, 禁止访问, 访问失败, 为禁止访问的URL进行屏蔽。
☐ 白: 按照规则进行过滤, 禁止访问, 访问失败, 为禁止访问的URL进行屏蔽。
☐ 黑: 按照规则进行过滤, 禁止访问, 访问失败, 为禁止访问的URL进行屏蔽。
☐ 自定义

名称	允许	拒绝	规则	添加记录或文件
自定义变量	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	FILED <input type="button" value="..."/>
POST	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	FILED <input type="button" value="..."/>
下载	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	HOST <input type="button" value="..."/>
人文	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	HOST <input type="button" value="..."/>
体育运动	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	HOST <input type="button" value="..."/>
社会热点	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	HOST <input type="button" value="..."/>
军事	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	HOST <input type="button" value="..."/>
社会网络	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	HOST <input type="button" value="..."/>
摄影	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	HOST <input type="button" value="..."/>
休闲	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	HOST <input type="button" value="..."/>
宠物家自然	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	HOST <input type="button" value="..."/>
性题材	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	HOST <input type="button" value="..."/>
国产动画	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	HOST <input type="button" value="..."/>

确定 **取消**

- A. The firewall will first check the blacklist entries and then the whitelist entries.
- B. Assuming that the user visits the `www.example.com` website, which belongs to the categories of humanities and social networks at the same time, the user cannot access the website.
- C. The user visits the website `www.example.com`, and when the black and white list is not hit, the next step is to query the predefined URL category entry.
- D. The default action means that all websites are allowed to visit. So the configuration is wrong here.

Answer: B

Thank You for Trying Our Product

Special 16 USD Discount Coupon: NSZUBG3X

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>