Question: 1

An Integration Project can contain which two resource types?

- A. Integration Service
- B. Message Flows
- C. Shared Libraries
- D. RestAPIs
- E. Message Maps

Answer: BE

Explanation:

 $https://www.ibm.com/support/knowledgecenter/SSMKHH_9.0.0/com.ibm.etools.mft.doc/bc23260_.htm$

Question: 2

Which statement is true regarding the RESTAsyncResponse node?

- A. It can be in a different integration node as the RESTAsyncRequest node
- B. It has to be in the same integration server as the RESTAsyncRequest node
- C. It can be in a separate integration server than the RESTAsyncRequest node
- D. It has to be in the same flow as the RESTAsyncRequest node

Answer: D

Explanation:

https://www.ibm.com/support/knowledgecenter/SSTTDS_11.0.0/com.ibm.etools.mft.doc/bz90930_.ht ml

Question: 3

What are two nodes that require IBM MQ to be installed on the same machine as IBM App Connect Enterprise?

- A. GroupGather
- B. FlowOrder
- C. Collector
- D. Route

Answer: CE

Explanation:

https://www.ibm.com/support/knowledgecenter/SSTTDS_11.0.0/com.ibm.etools.mft.doc/bb28660_.ht ml

Question: 4

How can static library LIB1 be converted into a shared library without breaking references?

- A. Use the shared library conversion tool from the Integration Toolkit
- B. Highlight the static library, open convert wizard create a new shared library selecting the resolve references checkbox which will update all applications, libraries, and independent resources that referenced LIB1.
- C. Create a new shared library named TMP1, move all assets from static library, rename the static library, and rename shared library LIB1.
- D. Export static library LIB1 as a shared library, import new shared library into the workspace replacing static library with new shared LIB1.

Answer: C

Question: 5

What is the purpose of an Integration Node?

- A. It is a parent process which is responsible for looking after one or more associated runtime processes.
- B. It is a collection of processes to manage state of the deployed applications and libraries.
- C. It provides a specific mode of operation or the availability of an additional product, such as a database.
- D. It provides an isolated runtime environment for a set of deployed message flows and resources.

Answer: D

Question: 6

What Event Coordination option must be implemented in the Collector node so that message collections are propagated in the order they have been completed?

- A. All complete collections
- B. First complete collection
- C. Disabled
- D. FIFO

Answer: B

Question: 7

When referencing a policy within a node configuration, what is the format of the reference?

- A. {PolicyProjectName}:PolicyName
- B. PolicyProjectName:PolicyName
- C. Policy:{PolicyName}
- D. ApplicationName:PolicyName

Answer: D

Question: 8

What are two valid destination options for a Trace node?

- A. Events
- B. IBM MQ queue
- C. File
- D. System Trace
- E. Local Error Log

Answer: CE

Explanation:

 $https://www.ibm.com/support/knowledgecenter/SSMKHH_10.0.0/com.ibm.etools.mft.doc/ac04840_.htm$

Question: 9

Which role can add a binding to a policy set in IBM App Connect Enterprise?

- A. Policyowner
- B. Developer

- C. Administrator
- D. Policy Holder

Answer: C