

Latest Version: 6.0

Question: 1

When you take a level 2 backup, what data is backed up?
Response:

- A. All new data since the last level 0, level 1 or level 2 backup
- B. All new data since the last level 2 backup
- C. All logical logs which have not previously been backed up
- D. All new data since the last level 1 backup

Answer: D

Question: 2

Which parameter can automatically adjust other configuration parameters that are not present in the configuration file?
Response:

- A. AUTO_CONFIG
- B. AUTO_PERF
- C. AUTO_TUNE
- D. AUTO_ENABLE

Answer: C

Question: 3

The IBM Mobile Database is a mobile-optimized version of which IBM product?
Response:

- A. IBM DB2
- B. IBM Cloudscape
- C. IBM Informix
- D. IBM solidDB

Answer: D

Question: 4

Which Enterprise Replication command CANNOT be used on replicates that include TimeSeries columns?

Response:

- A. cdr realize
- B. cdr start
- C. cdr sync
- D. cdr remaster

Answer: D

Question: 5

How can you ensure to hold the an update lock until the end of a transaction when fetching rows from a cursor?

Response:

- A. Use the RETAIN UPDATE LOCKS clause with isolation level
- B. Use the 'Cursor Stability' isolation level along the WITH HOLD clause
- C. Use the 'Committed Read' isolation level
- D. Use the SET TRANSACTION command to with SERIALIZABLE clause

Answer: A

Question: 6

In addition to examining the Connection Manager log file, what are two ways to monitor the Connection Manager status?

(Choose two.)

Response:

- A. oncmsm
- B. onmonitor
- C. onstat
- D. onmode
- E. OpenAdmin Tool

Answer: C,E

Question: 7

You are running an UPDATE statement on a table using dbaccess. What kind of lock type is expected?
Response:

- A. Byte
- B. Update
- C. Shared
- D. Exclusive

Answer: D

Question: 8

What data migration tool(s) should be used to load data from a non-Informix data source?
Response:

- A. onload and dbload
- B. dbload and High Performance Loader
- C. onload and High Performance Loader
- D. dbimport

Answer: B

Question: 9

After executing the following commands: onmode -j -U karin,dave onmode -j -U karin,sarah onmode -j -U sarah which user(s) have access to the instance?
Response:

- A. karin, dave and sarah
- B. karin and sarah
- C. sarah
- D. karin and dav

Answer: C

Question: 10

In which table can you find a history of all SQL Administration API functions executed in the last 30 days?

Response:

- A. sysmaster:command_history
- B. sysmaster:admin_history
- C. sysadmin:command_history
- D. sysadmin:admin_history

Answer: C