

Latest Version: 6.0

Question: 1

What is the correct parameter replacement sequence in an AS Java-based SAP system?(Note: the sequences below are sorted by priority from highest to lowest).

- A. Instance custom|Template custom|Template default
- B. Template custom|Instance custom|Template default
- C. Instance custom|Template default|Template custom
- D. Template default|Template custom|Instance custom

Answer: D

Question: 2

Using the Java Startup and Control Framework, what is the correct sequence of steps to start an application server of an AS Java-based SAP system?

- A. Start ICM/Server process(es)|Start Offline Deployment|Start bootstrap process|Connect to SCS instance
- B. Start Offline Deployment|Start bootstrap process|Start ICM/Server process(es)|Connect to SCS instance
- C. Connect to SCS instance|Start Offline Deployment|Start bootstrap process|Start ICM/Server process(es)
- D. Connect to SCS instance|Start bootstrap process|Start Offline Deployment|Start ICM/Server process(es)

Answer: C

Question: 3

In an embedded deployment, which protocol is used by object pages to access the SAP S/4HANA system?

- A. OData
- B. RFC
- C. InA
- D. DIAG

Answer: A

Question: 4

What is the purpose of a security policy in an AS ABAP-based SAP system?

- A. To define security relevant system profile parameters
- B. To assign selected security attributes and their values to users
- C. To assign selected security attributes and their values to roles
- D. To define possible authentication mechanisms

Answer: A

Question: 5

Which file system locations do you need to specify when installing the SAP HANA multi-host database system using the default settings? Note: There are 2 correct answers to this question.

- A. /hana/log/<SID>
- B. /usr/sap/<SID>
- C. /usr/sap/hostctrl
- D. /hana/shared

Answer: AD

Question: 6

Which actions can be performed with the Software Update Manager (SUM) for an AS ABAP-based SAP system? Note: There are 3 correct answers to this question.

- A. Installing an SAP Host Agent
- B. Setting up the Transport Management System (TMS)
- C. Correcting software information via a CISI run
- D. Applying an SAP kernel patch
- E. Applying a SPAM/SAINT update

Answer: ABE

Question: 7

Which of the following background jobs has the highest priority?

- A. Class C job without a target server
- B. Class A job with a target server
- C. Class A job without a target server
- D. Class C job with a target server

Answer: B

Question: 8

What are prerequisites for enabling communication between a standalone SAP Web Dispatcher and an AS ABAP-based SAP system?

- A. Identification of the HTTP(S) port of the ABAP message server
- B. Activation of ICF service /sap/public/icf_info/icr_groups
- C. Activation of ICF service /sap/public/ping
- D. Identification of the HTTP(S) port of the PAS instance's ICM process

Answer: AB

Question: 9

You plan to update an AS ABAP-based SAP system with the role "Quality Assurance System". What does SAP recommend you do before you start Software Update Manager (SUM) for this system? Note: There are 2 correct answers to this question.

- A. Import the modification adjustment transports from the update of the "Development System".
- B. Follow the instructions from SAP Note 'Central Note - Software Update Manager' for the used version of SUM.
- C. Execute the SAP Load Generator (SGEN) transaction for invalid loads.
- D. Apply the latest SAP Host Agent patch.

Answer: AB

Question: 10

Which tools can be used to create SAP Fiori catalogs? Note: There are 3 correct answers to this question.

- A. SAP Fiori launchpad application manager (/UI2/FLPAM)
- B. SAP Fiori launchpad content manager (/UI2/FLPCM_CUST)
- C. SAP Fiori launchpad settings (/UI2/FLP_CUS_CONF)
- D. SAP Fiori launchpad designer (/UI2/FLPD_CUST)

E. SAP Fiori launchpad content aggregator (/UI2/FLPCA)

Answer: BD