

Pegasystems

PEGACPLSA25V1

Certified Pega Lead System Architect (CPLSA)

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

- 1. Up to Date products, reliable and verified.**
- 2. Questions and Answers in PDF Format.**



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/pegacplsa25v1>

Latest Version: 6.0

Question: 1

XYZ Corporation wants to ensure that every attempt by a developer to check a rule into a certain ruleset version is reviewed before that rule is allowed to be checked in.

The rule should be automatically sent back to the developer without being checked in if all warnings are not justified and the fields on the history tab are not complete.

How do you address this requirement?

- A. Prior to the first assignment in the ApproveRuleCheckin flow, add a decision shape where one output connector is equivalent to the submitting the SendBack flow action.
- B. Implement a CheckForCustomWarnings activity for each rule included in the requirement. The activity issues a warning whenever the requirement's history tab criteria are not met.
- C. Override the SendBack Flow Action adding a pre-ctivity that transfers the assignment to the create operator if the rule's criteria are not met.
- D. Override the FindReviewers decision tree to invoke a when rule that evaluates the criteria, if the when rule returns true, the decision tree returns SendBack.

Answer: A

Explanation:

Adding a decision shape before the first assignment in the standard ApproveRuleCheckin flow lets you automatically route the rule back via the SendBack action when warnings are unjustified or the history tab is incomplete.

Question: 2

A customer requires that the Workbasket used for a "Review" assignment depends on the Organizational Unit. OrgUnitA should use the OrgUnitABasket, and OrgUnitB should use OrgUnitBBasket.

Which of the following is the best approach for this requirement?

- A. Create a separate subflow that includes only the Review Assignment, and create circumstanced copies of this subflow: one that tests if OperatorID.pyOrgUnit = OrgUnitA and the other that tests if OperatorID.pyOrgUnit = OrgUnitB
- B. Create two circumstanced copies of the flow ruleE.one that tests if OperatorID.pyOrgUnit = OrgUnitA and the other that tests if OperatorID.pyOrgUnit = OrgUnitB
- C. Create separate RuleSets for each Organizational Unit, and put two separate copies of the flow rule in each RuleSet

D. Create a map rule that sets a property value to "OrgUnitABasket" when OperatorID.pyOrgUnit = OrgUnitA, and "OrgUnitBBasket" when OperatorID.pyOrgUnit = OrgUnitB. Also, create a declare page with this property

Answer: D

Explanation:

Deriving the workbasket name from a data-driven map (declare page plus map rule keyed on pyOrgUnit) keeps a single flow and routes dynamically, the best-practice approach.

Question: 3

When designing an automated testing strategy, what are two key goals to achieve?
(Choose two.)

- A. Reducing the time and effort required for manual testing.
- B. Eliminating the need for manual code reviews.
- C. Guaranteeing the complete absence of all bugs.
- D. Facilitating faster and more reliable releases.

Answer: A,D

Explanation:

Automation cuts the time and effort spent on repetitive manual testing.
Automated testing enables quicker, more dependable releases.

Question: 4

Which tasks are part of continuous integration and continuous delivery?
(Choose two.)

- A. Running automated tests whenever new code is committed.
- B. Manually deploying code to the production environment.
- C. Automating the build process for application packages.
- D. Creating a release plan and schedule for each deployment.
- E. Conducting user acceptance testing (UAT) before each deployment.

Answer: A,C

Explanation:

Running automated tests on every commit is a core CI activity.
Automating the build of application packages is a core CI/CD activity.

Question: 5

Which three of the following approaches are valid methods of extending rules in Pega Platform™?
(Choose three.)

- A. Organization hierarchy
- B. Class
- C. Dynamic class referencing (DCR)
- D. Circumstance
- E. Ruleset

Answer: B,D,E

Explanation:

Class-based inheritance lets a more specific class extend or override rules.

Circumstancing extends a base rule with condition-specific variants.

Rulesets layer and version rules, extending behavior through the ruleset stack.

Question: 6

According to Pega's production deployment best practices, which three activities should be avoided?
(Choose three.)

- A. Deploying untested code directly to the production environment.
- B. Using a single point of failure for deployment processes.
- C. Conducting load testing in the production environment.
- D. Implementing automatic rollbacks for critical issues.
- E. Allowing direct access to production servers for developers.

Answer: A,C,D

Explanation:

Deploying untested code to production risks outages and must be avoided.

Load testing in production risks degrading the live system; it belongs in a pre-production environment.

Direct developer access to production bypasses controls and should be avoided.

Question: 7

Which two of the following statements are true about Cosmos React?
(Choose two.)

- A. Cosmos React allows rule delegation.
- B. Cosmos React supports localization.
- C. Cosmos React is best suited for applications that are built from scratch.
- D. Cosmos React improved system performance.

Answer: C,D

Explanation:

Cosmos React is best suited to applications built from scratch.

Cosmos React improves system performance.

Question: 8

Select the primary reason for developing a set of unit test cases and automated testing Suites in a continuous integration and continuous deployment (CI/CD) model.

- A. Automated testing reduces costs by reducing the need to hire and train testing resources.
- B. Automated testing accelerates the deployment of rules from the development environment to target environments.
- C. Automated testing programmatically ensures quality of rules to maintain the integrity of the pipeline.
- D. Automated testing allows for orchestration between automation server and the Execute Test REST service.

Answer: C

Explanation:

Automated test suites programmatically enforce rule quality on every build, protecting the integrity of the CI/CD pipeline.

Question: 9

What are the two major differences between the Pega Web Mashup and Pega Digital Experience (DX) API?
(Choose two.)

- A. DX API uses a Pega Platform application skin. Pega Web Mashup does not use a Pega Platform b) application skin.
- B. The DX API allows developers to build custom Pega Platform application front ends, as well as custom business logic.
- C. Pega Web Mashups are built with Pega Platform UI and are embedded directly in a web page.
- D. DX API gives UI developers more flexibility.

Answer: C,D

Explanation:

Pega Web Mashup embeds Pega-rendered UI directly into an external web page.

The DX API returns UI metadata, giving front-end developers greater flexibility to build custom UIs.

Thank You for Trying Our Product

Special 16 USD Discount Coupon: NSZUBG3X

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>