

UiPath UiTCAPv1

UiPath Test Cloud Architect Professional

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

- 1. Up to Date products, reliable and verified.**
- 2. Questions and Answers in PDF Format.**



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/uitcapv1>

Latest Version: 6.0

Question: 1

A tester uses the Generate with Autopilot feature to create test data variations for an input field but notices that the generated values lack diversity. What is the most appropriate way to improve the variation quality?

- A. Manually duplicate the generated values and adjust them slightly within the dataset.
- B. Provide more detailed input context or constraints so Autopilot can generate more diverse and relevant variations.
- C. Replace the generated data with static values defined directly in the test workflow.
- D. Re-run the generation multiple times without modifying the input context or constraints in order to keep consistency.

Answer: B

Question: 2

After finishing two separate executions of the same performance scenario, a team wants to compare those past runs side by side. What is supported?

- A. Comparison is available for any historical runs of the same scenario, as long as the same load groups were used in both.
- B. Comparison is available only for selected load groups within the same scenario run, so separate historical runs cannot be compared.
- C. Comparison is available only after both runs pass, because failed runs are excluded from side-by-side analysis.
- D. Comparison is available only at scenario level, because load groups cannot be selected individually during analysis.

Answer: B

Question: 3

What must already be in place before a user can create and synchronize a defect from a failed test case?

- A. A connector must be configured, and the failed test case must already be assigned to a requirement
- B. A connector must be configured, and a requirement must be exported
- C. A connector must be configured, and a test set must have been executed
- D. A connector must be configured, and the test result must already have a linked defect entry

Answer: C

Question: 4

What distinct functionality does a test automation project in UiPath Studio provide?

- A. It provides the tools necessary for testing software products
- B. It enables logging and reporting of workflows
- C. It provides the tool for charting and analyzing data
- D. It provides the tools necessary for process automation development

Answer: A

Question: 5

What is the purpose of the Cron Expression in the Add Test Schedule section in UiPath Orchestrator?

- A. It indicates an expression to be evaluated during the runtime of the tests
- B. It is used to determine the frequency of notifications about the schedule
- C. It is used to configure the execution time for highly customizable test schedules
- D. It is used to add additional cron jobs to the schedule

Answer: C

Question: 6

Consider the STLC phase where a team continuously integrates test code changes and shares test artifacts across groups. Which Test Cloud features directly support this phase?

- A. Authentication and SSO mechanisms alone without coordination of test artifacts or integration workflows
- B. Isolated data encryption infrastructure but no support for shared execution pipelines or integration tools
- C. Seamless CI/CD integration with version control and distributed execution for collaborative test automation
- D. Only basic environment provisioning and setup but no version control or integration support

Answer: C

Question: 7

What are the two methods to assign test cases to a test set in UiPath Test Suite?

- A. Using Automatic Assignment and Manual Assignment
- B. Using Active Assignment and Passive Assignment
- C. Using Direct Assignment and Indirect Assignment
- D. Using Static Assignment and Dynamic Assignment

Answer: D

Question: 8

What is the purpose of setting the Clipboard data field under the manual steps of a test case?

- A. Holding the expected state of the application after the test case was executed
- B. Outlining the tasks that need to be completed before the start of testing
- C. Eliminating the need for manual entry into input fields
- D. Saving the output of the test case for future use

Answer: C

Question: 9

A Test Architect is defining a reusable UI library for several business-critical applications. One application already has a version in the library, and the architect wants to add another version of that same application while keeping upgrade behavior predictable for dependent projects. Which design constraint must be respected?

- A. The UI library may include several applications, but each application version must be duplicated across separate screens for upgrade tracking.
- B. The UI library may include several applications, but it can contain only one version of a certain application at a time.
- C. The UI library may include several applications, but every application must share the same version number to remain dependency-compatible.
- D. The UI library may include several applications, but each application can contain only one screen if cross-project reuse is required.

Answer: B

Question: 10

What is the role of step-into debugging?

- A. It executes the workflow without stopping at breakpoints
- B. It allows execution of each activity individually, including invoked workflows
- C. It automatically resolves exceptions during execution
- D. It skips invoked workflows and executes only the main sequence

Answer: B

Thank You for Trying Our Product

Special 16 USD Discount Coupon: NSZUBG3X

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>